



AWC Deployment Instruction (Windows)

May 2017

Table of Contents

| | | |
|--------------|---|-----------|
| 1 | System Overview | 4 |
| 1.1 | SOURCE SYSTEM ARCHITECTURE | 4 |
| 1.2 | TARGET SYSTEM ARCHITECTURE..... | 4 |
| 1.3 | SOFTWARE AND HARDWARE | 4 |
| 2 | Installation | 5 |
| 2.1 | INSTALLING SERVER EXTENSIONS | 5 |
| 2.1.1 | Installation Process Overview | 5 |
| 2.1.2 | Prerequisites | 5 |
| 2.1.3 | Install AWC2.4 Patch on Teamcenter Servers | 5 |
| 2.1.4 | Install Server Extensions Features | 13 |
| 2.1.5 | Install Database Trigger | 21 |
| 2.1.6 | Verify Installation | 22 |
| 2.2 | INSTALL INDEXING ENGINE (SOLR) | 23 |
| 2.2.1 | Installation Process Overview | 23 |
| 2.2.2 | Prerequisites | 23 |
| 2.2.3 | Install an Empty TC10.1.4_2..... | 23 |
| 2.2.4 | Install AWC2.4 Patch | 31 |
| 2.2.5 | Install Indexing Engine (Solr) | 36 |
| 2.2.6 | Verify Installation | 43 |
| 2.3 | INSTALL INDEXER..... | 45 |
| 2.3.1 | Installation Process Overview | 45 |
| 2.3.2 | Prerequisites | 45 |
| 2.3.3 | Install an Empty TC10.1.4_2..... | 45 |
| 2.3.4 | Install AWC 2.4 | 46 |
| 2.3.5 | Install Indexer..... | 46 |
| 2.3.6 | Verify Installation | 58 |
| 2.4 | INSTALL AND DEPLOY AWC CLIENT | 63 |
| 2.4.1 | Installation Process Overview | 63 |
| 2.4.2 | Prerequisites | 63 |
| 2.4.3 | Install Empty TC10.1.4_2..... | 63 |
| 2.4.4 | Install AWC 2.4 Patch | 64 |
| 2.4.5 | Build AWC WAR File..... | 64 |
| 2.4.6 | Deploy AWC WAR File..... | 72 |
| 2.4.7 | Verify Installation | 74 |
| 3 | AWC Client Home Page Customization | 76 |
| 3.1 | CUSTOMIZATION DESIGN | 76 |
| 3.1.1 | Home Page before Customization..... | 76 |
| 3.1.2 | Home Page after Customization | 76 |
| 3.2 | CUSTOMIZATION FOR A GROUP | 77 |


SIEMENS

| | | |
|-------|--|-----|
| 3.2.1 | Create Role/Group | 77 |
| 3.2.2 | Create Tile Collection | 80 |
| 3.2.3 | Home Page Verification for the Group | 89 |
| 3.3 | CUSTOMIZATION FOR A SINGLE USER | 92 |
| 4 | Appendix | 96 |
| 4.1 | START PROCESS | 96 |
| 4.1.1 | Start Teamcenter Database Server | 96 |
| 4.1.2 | Start Teamcenter Enterprise Tier | 96 |
| 4.1.3 | Start Teamcenter Web-Tier | 96 |
| 4.1.4 | Start AWC Web Application Server | 96 |
| 4.1.5 | Start Solr Indexing Engine | 96 |
| 4.1.6 | Start Indexer | 96 |
| 4.2 | RELATED URLs | 97 |
| 4.2.1 | TC Pool Manager | 97 |
| 4.2.2 | TC Thin Client | 97 |
| 4.2.3 | Solr Admin | 97 |
| 4.2.4 | AWC Client | 97 |
| 4.3 | CONFIGURE APACHE AS A REVERSE PROXY SERVER | 98 |
| 4.3.1 | Install Apache | 98 |
| 4.3.2 | Configure Apache as a Reverse Proxy Server | 99 |
| 4.3.3 | Start Apache | 100 |


SIEMENS

1 System Overview

1.1 SOURCE SYSTEM ARCHITECTURE



1.2 TARGET SYSTEM ARCHITECTURE



- AWC Client may be any machine on the testing network.
- AWC Client build machine is not covered in this document, should be a 64-bit machine with at least 8G-memory.

1.3 SOFTWARE AND HARDWARE

N/A

2 Installation

2.1 INSTALLING SERVER EXTENSIONS

2.1.1 Installation Process Overview



2.1.2 Prerequisites



Prerequisites:

| | | |
|------|---|---------|
| Java | <ul style="list-style-type: none">JRE64_HOME=C:\apps\java\jre7JAVA_HOME=C:\apps\java\jdk1.7.0_45 | tc10win |
| solr | <ul style="list-style-type: none">url: http://tc10sit:8983/solruser/password: solr_admin/solr_admin | |


2.1.3 Install AWC2.4 Patch on Teamcenter Servers




Installation steps:

- Log on to tc10win as infodba/infodba.
- Start TEM

SIEMENS




- In the User Account Control dialog window, click Yes.




- In the Maintenance dialog window, check Update Manager, then Next.


SIEMENS



- In the Apply Updates window, for the Update kid location browser and select C:\disk\Tc10.1.4_ActiveWorkspace2.4.1_wntx64\wntx64, then Next.




- Stop all the Teamcenter processes or services (except for FSC), then click Close in the Status Message dialog window.




- In the Operating System User dialog window, type infodba for password box, then Next.

SIEMENS




- In the Teamcenter Administrative User dialog window, type infodba for both the User box and Password box, then Next.




- In the Confirmation box, click Start.

SIEMENS




- In the Update Features dialog window, the status bar appears indicating the update is in the process.




- Update %TC_DATA%, then click Close in the Status Message box.

SIEMENS


- Backup %TC_DATA%




- Unzip data.zip to %TC_DATA%



- Click Close.



- After successfully update, click on Close to quit TEM.




2.1.4 Install Server Extensions Features




Installation steps:

- Log on to tc10win as infodba/infodba.
- Start TEM as administrator




- In the User Account Control dialog window




SIEMENS

- In the Maintenance dialog window, check Configuration Manager and Next.




- In the Configuration Maintenance dialog window, check on Perform maintenance on an existing system, then Next.




SIEMENS

- In the Old Configuration dialog window, click Next.



- In the Feature Maintenance dialog window, check Add/Remove Features, then Next.




SIEMENS

- In the Features dialog window, expand Base Install ->Active Workspace ->Server Extensions, check 3 Active Workspace server features, then Next.




- Stop Teamcenter services and processes (except for FSC service), then click OK in Features warning dialog window.




SIEMENS

- In the Teamcenter Administrative User dialog window, type infodba for both the User box and the Password box, then Next.




- In the Indexing Engine User box, type solr_admin for both User and Password boxes, then Next.




SIEMENS

- In the Active Workspace Server Extensions Settings dialog window, type <http://tc10sit:8983/solr> for the Search Engine URL box, then Next.




- In the Database Template Summary dialog window, verify 5 AWC related templates, then Next.




SIEMENS

- In the Confirmation dialog window, click Start.




- During the installation, the status bar appears in the Install dialog window, indicating the installation is in the process.



SIEMENS

- After successfully installation, click Close.




2.1.5 Install Database Trigger



Installation steps:

- Prepare database trigger (SQL scripts for Site Consolidation feature)



```

C:\cmd
C:\disk\Tc10.1.4_patch_2_wntx64\wntx64\tc\install\sitecons>dir
 Volume in drive C has no label.
 Volume Serial Number is B25D-7B63

 Directory of C:\disk\Tc10.1.4_patch_2_wntx64\wntx64\tc\install\sitecons

08/29/2015  03:42 PM    <DIR>        .
08/29/2015  03:42 PM    <DIR>        ..
08/29/2015  03:42 PM           2,508 sitecons_install_tables_and_triggers.sql
08/29/2015  03:42 PM           2,384 sitecons_install_tables_and_triggers_mssql.sql
08/29/2015  03:42 PM           1,870 sitecons_install_tables_db2.sql
                           3 File(s)      6,762 bytes
                           2 Dir(s)   10,196,729,856 bytes free

C:\disk\Tc10.1.4_patch_2_wntx64\wntx64\tc\install\sitecons>
  
```

SIEMENS

- Grant permission for creating database trigger.
 - sqlplus system/infodba@tc
 - grant Create trigger to infodba identified by infodba;

```
cmd - sqlplus system/infodba@tc
C:\disk\Tc10.1.4_patch_2_wntx64\wntx64\tc\install\sitecons>sqlplus system/infodba@tc
SQL*Plus: Release 11.2.0.1.0 Production on Thu Jun 2 22:06:43 2016
Copyright (c) 1982, 2010, Oracle. All rights reserved.

Connected to:
Oracle Database 11g Enterprise Edition Release 11.2.0.1.0 - 64bit Production
With the Partitioning, OLAP, Data Mining and Real Application Testing options

SQL> grant create trigger to infodba identified by infodba;
Grant succeeded.

SQL>
```

- Create trigger
 - sqlplus infodba/infodba@tc
 - @sitecons_install_tables_and_triggers.sql.

```
cmd - sqlplus infodba/infodba@tc
C:\disk\Tc10.1.4_patch_2_wntx64\wntx64\tc\install\sitecons>sqlplus infodba/infodba@tc
SQL*Plus: Release 11.2.0.1.0 Production on Thu Jun 2 22:11:14 2016
Copyright (c) 1982, 2010, Oracle. All rights reserved.

Connected to:
Oracle Database 11g Enterprise Edition Release 11.2.0.1.0 - 64bit Production
With the Partitioning, OLAP, Data Mining and Real Application Testing options

SQL> @sitecons_install_tables_and_triggers.sql
Trigger created.

Trigger created.

SQL>
```

2.1.6 Verify Installation


n/a

2.2 INSTALL INDEXING ENGINE (SOLR)

2.2.1 Installation Process Overview



2.2.2 Prerequisites



Prerequisites:

| | |
|---------|---|
| Java | <ul style="list-style-type: none">JRE64_HOME=C:\apps\Java\jre7JAVA_HOME=C:\apps\Java\jdk1.7.0_45 |
| TC_DATA | <ul style="list-style-type: none">C:\temp\data |

- Copy tc10win:%TC_ROOT% to tc10sit:c:\temp\data

2.2.3 Install an Empty TC10.1.4_2




Installation steps:


- Log on to tc10sit as r_awc.

SIEMENS


- Start TEM



- In the User Account Control dialog window, click Yes




- In the Installer Language dialog window, select English, then OK.




SIEMENS

- In the Welcome to Teamcenter dialog window, click Install.




- In the Media Locations dialog window, browse c:\disk\Tc10.1.0_win64 for the Original Media Location box, then Next.




SIEMENS


- In the Configuration dialog window, enter awcsolor for both ID and Description boxes, then Next.



- In the Solutions dialog window, select no solution, then Next




- In the Features dialog window, check the Sample files box and fill the Installation Directory box, then Next.




- In the Confirmation dialog window, click on Start.

SIEMENS




- In the Install dialog window, the status bar appears indicating the installation is in process.




- After installation complete, click Close

SIEMENS



- Post installations, form the Start->All Programs right click **Teamcenter 10** created in this section, then rename it to **Teamcenter 10_awcsol**.

SIEMENS




2.2.4 Install AWC2.4 Patch




Installation steps:

- Log on to tc10sit as os user r_awc/r_awc
- Start TEM




- In the User Account Control dialog window, click Yes.




SIEMENS

- In the Maintenance dialog window, check Update Manager, then Next




- In the Update Features window, browse and fill the Update kit location box, then Next.




SIEMENS

- Close all Teamcenter processes or services except for FSC service, then click Close in the Status Message dialog window.




- In the Confirmation window, click on Start.




SIEMENS

- In the Update Features window, a status bar appears indicating the process of update.




- Unzip C:\disk\Tc10.1.4_ActiveWorkspace2.4.1_wntx64\wntx64\tc\data to c\temp\data, then click Close in the Status Message box.




SIEMENS

- In the Update Features dialog window, click Close after the update completes




2.2.5 Install Indexing Engine (Solr)




Installation steps:

- Log on to tc10sit as os user r_awc/r_awc.
- Start TEM




- In the User Account Control dialog window, click Yes.




SIEMENS

- In the Maintenance dialog window, check Configuration Manager, then Next.




- In the Configuration Maintenance dialog window, check Performance maintenance on an existing configuration, then Next.




SIEMENS

- In the Old Configuration dialog window, click on Next.




- In the Feature Maintenance dialog window, click Next.



SIEMENS

- In the Features dialog window, check Active Workspace Indexing Engine, then Next.




- In the Indexing Engine User dialog window, type in solr_admin in both User and Password boxes, then Next.




SIEMENS

- In the Indexing Engine Configuration dialog window, browse & fill in the Solr schema files location box, then Next.




- In the Confirmation dialog window, click Start.




SIEMENS

- In the Install dialog window, the status bar appears indicating the process of installation.




- After Install complete, click Close




SIEMENS

- Make script to start Indexing Engine (solr)


- Create start_solr.bat



- Edit start_solr.bat



- Create a shortcut to start_solr.bat, in the folder r_Awc-Tier on desktop.




2.2.6 Verify Installation




Verification steps:

- Log on to tc10sit as awc.
- Start indexing engine (Solr)
 - From the folder r_Awc-Tier on desktop, double click on 1 - start_solr-Shortcut




- Solr indexing engine started.



- Open the log file




- Review the log file.



SIEMENS

- Verify Solr application interface.


- Run <http://tc10sit:8983/solr/admin> in a browser.
- In the Login dialog window, type in solr_admin for both username & password boxes, then Login




- The Solr admin console is displayed

2.3 INSTALL INDEXER

2.3.1 Installation Process Overview




2.3.2 Prerequisites



Prerequisites:

| | |
|-----------------------|---|
| Java | <ul style="list-style-type: none">JRE_HOME=/usr/java/jre1.7.0_45JAVA_HOME=/usr/java/jdk1.7.0_45 |
| solr | <ul style="list-style-type: none">url: http://tc10sit:8983/solruser/password: solr_admin/solr_admin |
| Teamcenter 4-tier URL | <ul style="list-style-type: none">http://tc10win:8080/tc |


2.3.3 Install an Empty TC10.1.4_2



Installation steps:

- Refer to the Section 2.2.3 for the installation steps.
- Installation Directory: c:\siemens\r_awc\teamcenter10_indexer
- After installation, change **Start->All Programs->Teamcenter 10** to **Start->All Programs->Teamcenter 10_indexer**


2.3.4 Install AWC 2.4



Installation steps:


- Refer to the Section 2.2.4 for the installation steps.

2.3.5 Install Indexer




Installation steps:


- Log on to tc10sit as r_awc/r_awc
- Start TEM




- In the User Account Control dialog window, click Yes.




- In the Maintenance dialog window, check the Configuration Manager, then Next.




- In the Configuration Maintenance dialog window, check the Perform maintenance on an existing configuration, then Next.




- In the Old Configuration dialog window, click on Next.



- In the Feature Maintenance dialog window, click Next.




- In the Features dialog window, select the Active Workspace Indexer, then Next.




SIEMENS

- In the Teamcenter Administrative User dialog window, type in infodba for both User and Password boxes, then Next.




- In the Indexing Engine User dialog window, type in solr_amdin for both User and Password boxes, then Next.




SIEMENS

- In the Active Workspace Indexing Settings dialog window, check the Standalone indexing environment and fill in the Teamcenter 4-Tier URL box, then Next.




- In the Active Workspace Indexer Type Selection dialog window, check both entries, then Next.




SIEMENS

- In the Active Workspace Object Data Indexer Setting dialog window, set Start Time (Date and Time), then Next.




- In the Confirmation dialog window, click Start.




SIEMENS

- In the Install dialog window, a status bar appears indicating the process of installation.




- After installation completes, click Close.




SIEMENS

➤ Make Scripts for Re-Index.


- Create start_reindex.bat



- Edit start_reindex.bat




- Create shortcut for start_reindex.bat, in the folder r_Awc-Tier on desktop.




SIEMENS

- Make Scripts for Sync-Index.


- Create start_syncindex.bat



- Edit start_syncindex.bat




- Create a shortcut for start_syncindex.bat, in the folder r_Awc-Tier on desktop.



SIEMENS


- Make scripts for do sync object
 - Create do_sync_objdata.bat



- Edit do_sync_objdata.bat


```
rem "do_sync_objdata"
C:\siemens\r_awc\teamcenter10_indexer\TcFTSIndexer\bin\runTcFTSIndexer.bat -task=objdata:sync -interval=30 > C:\siemens\r_awc\teamcenter10_indexer\TcFTSIndexer\logs\indexer_sync_objdata.log
```

- Create a shortcut for do_sync_objdata.bat, in the folder r_Awc-Tier on desktop



SIEMENS


- Make scripts for do sync structure
 - Create do_sync_structure.bat




- Edit do_sync_structure.bat

```
rem "do sync structure"
C:\siemens\r_awc\teamcenter10_indexer\TcFTSIndexer\bin\runTcFTSIndexer.bat -task
=structure:sync -interval=300 > C:\siemens\r_awc\teamcenter10_indexer\TcFTSIndexer\logs\indexer_sync_structure.log
```

- Create a shortcut for do_sync_structure.bat, in the folder r_Awc-Tier on desktop



2.3.6 Verify Installation



Verification steps:

- Start Database Server (see Section 5.1.1)
- Start Teamcenter (see Section 5.1.2)
- Start Solr (see Section 5.1.3)
- Log on tc10sit as os user r_awc/r_awc
- Verify Connectivity
 - Run runTcFTSIndexer.bat

```
C:\siemens\r_awc\teamcenter10_indexer\TcFTSIndexer\bin>runTcFTSIndexer.bat -task=objdata:test
```

- Verify the connectivity.

```

C:\siemens\r_awc\teamcenter10_indexer\TcFTSIndexer\bin>runTcFTSIndexer.bat -task=objdata:test
2016-06-08 22:18:09,179 INFO  - Running TcFtsIndexer Type: objdata FlowAction: test
2016-06-08 22:18:09,569 INFO  - setting Max Connections to: 3
2016-06-08 22:21:17,456 ERROR - SOA_SERVER_RETURNED_ERROR: The instance is out of synchronization with its VLAs.
The value for the property "fnd0isTrueConditions" could not be retrieved.
End of Message for Current Service Data

2016-06-08 22:21:17,456 WARN  - Connection to Tc failed. (Attempt 1 of 5.)
2016-06-08 22:21:17,456 INFO  - Sleeping for 5000 milliseconds
2016-06-08 22:21:32,510 INFO  - Downloading 'FTSIndexer Files' Dataset files for 'objdata' indexer...
2016-06-08 22:21:36,535 INFO  - Teamcenter 4 tier server status: OK
2016-06-08 22:21:36,535 INFO  - FMS status : OK.
2016-06-08 22:21:36,800 INFO  - Solr server status: OK
2016-06-08 22:21:39,889 INFO  - Transform configuration: OK
2016-06-08 22:21:39,889 INFO  - Test successful.
2016-06-08 22:21:39,889 INFO  - Total time for all Steps 3 sec
2016-06-08 22:21:39,889 INFO  - Overall Time 210.694 sec
2016-06-08 22:21:39,889 INFO  - Done processing Type: objdata FlowAction: test


C:\siemens\r_awc\teamcenter10_indexer\TcFTSIndexer\bin>

```

SIEMENS


➤ Verify run re-indexing

- Double click the shortcut to run re-indexing.
- Open the log file.
- Review the log file



SIEMENS


- Verify running index synchronization




SIEMENS

- Verify Indexing Synchronization with AWC Client.

- Run Rich Client as *infodba*, and create a dataset *awc_test_dataset*.




- Open a browser to run AWC client (<http://tc10sit:8080/awc>), and login in Teamcenter as infodba/infodba.




SIEMENS

- In AWC client, search for awc_test_1




- The dataset awc_test_1 is displayed.




2.4 INSTALL AND DEPLOY AWC CLIENT

2.4.1 Installation Process Overview




2.4.2 Prerequisites



Prerequisites:

| | |
|-------------------|---|
| Java | <ul style="list-style-type: none"> • JAVA_HOME=C:\apps\Java\jdk1.7.0_55 • JRE64_HOME=C:\Program Files\Java\jre7 |
| Teamcenter | <ul style="list-style-type: none"> • 4-tier URL: http://tc10win:8080/tc • Bootstrap FSC URL: http://tc10win:4544/ |

2.4.3 Install Empty TC10.1.4_2



Installation steps:

- Refer to the Section 2.2.3 for the installation steps.
- The machine for AWC Client installation (called AWC Build machine) is not covered in this document for practice. It is a 64-bit Windows machine, with at least 8G memory.
- c:\siemens\r_awc\teamcenter10_indexer
- After installation, change **Start->All Programs->Teamcenter 10** to **Start->All Programs->Teamcenter 10_awcclnt**


2.4.4 Install AWC 2.4 Patch



Installation steps:


- Same steps as in Section 2.2.4

2.4.5 Build AWC WAR File




Build steps:

- Log on to AWC client build machine (your host machine for instance).
- Start TEM




SIEMENS

- In the Maintenance dialog window, check the Configuration Manager, then Next.




- In the Configuration Maintenance dialog window, check the Perform maintenance on an existing configuration, then Next.




SIEMENS

- In the Old Configuration dialog window, click Next.




- In the Feature Maintenance dialog window, click on Next.




SIEMENS

- In the Features dialog window, check 3 AWC client components, then Next.




- In the Prerequisites Checks dialog window, fill the **Enter a working directory where log can be created** box, then Run.




SIEMENS

- After all checks passed, click Next.




- In the Confirm Warning dialog window, check the **Client Build Free RAM Availability** check dialog box, then OK.




SIEMENS

- In the Active Workspace Client Settings (J2EE) dialog box, fill in the required boxes, then click Advanced...




- In the Additional Client Settings dialog window, check English, then OK




- In the Active Workspace Client Settings (J2EE) dialog box, click Next

SIEMENS

- In the Confirmation dialog window, click Start.




- In the Install window, the status bar appears indicating the process of installation.




SIEMENS


- After Install completes, click Close.



- The AWC client war file is located in directory c:\siemens\teamcenter10\aws2\stage\out




2.4.6 Deploy AWC WAR File



Deploying steps:

- Log on to tc10sit as r_awc/r_awc
- Install JBoss
 - Install JBoss 7.1 into C:\apps\jboss-as-7.1.0.Final
- Update JBoss configuration.
 - Open configuration file




- Change network interface.

```

<interfaces>
    <interface name="management">
        <inet-address value="${jboss.bind.address.management:127.0.0.1}" />
    </interface>
    <interface name="public">
        <!-- ylong updated
        <inet-address value="${jboss.bind.address:127.0.0.1}" />
        -->
        <any-address/>
    </interface>
</interfaces>
  
```


SIEMENS

- Deploy awc.war in Jboss, simply put the war file into Jboss deployments directory.



- Create scripts to start Jboss.


- Create start_jboss.bat




- Edit start_jboss.bat



- Create a shortcut for start_jboss.bat, in the folder r_Awc-Tier on desktop.



2.4.7 Verify Installation




Verification steps:

- Start Database Server (see Section 5.1.1)
- Start Teamcenter (see Section 5.1.2)
- Start AWC Web Application Server (see Section 5.1.3)
- Start Solr (see Section 5.1.4)
- Start Indexer (see Section 5.1.5)
- Verify AWC Client
 - Open a browser which supports HTML5.
 - Run <http://tc10sit:8080/awc>
 - Login Teamcenter as infodba/infodba



SIEMENS


- Then, the AWC home page will be shown up after successfully login.



3 AWC Client Home Page Customization

3.1 CUSTOMIZATION DESIGN

3.1.1 Home Page before Customization




3.1.2 Home Page after Customization




3.2 CUSTOMIZATION FOR A GROUP

3.2.1 Create Role/Group

- Login to rich client as infodba/infodba
- Create a role *AWC_Workflow_Approver*




- Create a group *AWCGrp*, and add the role *AWC_Workflow_Approver* into the group *AWCGrp*.






SIEMENS


- After creation, the role AWC_Workflow_Approver will be under the group AWCGrp, see below.



- Add user e04, p04 and e04 into AWCGrp









3.2.2 Create Tile Collection

- Login to Rich Client as infodba/infodba
- Copy the AWCGrp object for Creating Tile Collection.
 - From rich client, select AWCGrp object, then send to My Teamcenter.




SIEMENS

- Right click on AWCGrp object, and then double click on Review Properties.




- Click on Edit -> Copy to copy AWCGrp object.



SIEMENS


➤ Create a Tile Collection *awc_tile_collection*

- In My Teamcenter, click on File->New -> Others,




SIEMENS

- In the New Object - Type window, select Tile Collection, then Next




SIEMENS


- In the New Object window – Information window, fill in the text field of Name; for Scope, click on Down-Arrow ->Paste to paste the object created above to the text field, then Finish.




SIEMENS

- Add tiles to tile collection awc_tile_collection
 - From My Teamcenter, search tile collections






- In the search result window, select all the tiles under Site-TileCollection (except for Inbox) and copy.




- Then, past all the tiles selected above to awc_tile_collection.




SIEMENS

- In the Relation Property window for each tile (i.e. Changes), set Hidden to TRUE and Apply All, then Finish.




- Make sure Hidden is set to TRUE for the relation property of all the tiles in awc_tile_collection.
 - In the Search Result window, expand awc_tile_collection, select a tile (for example Create Part), then edit Relation Property.



SIEMENS

- In the Property window, make sure Hidden is set to TRUE, then OK.



- Repeat two steps above until all the tiles are checked and updated.

3.2.3 Home Page Verification for the Group

If a user's default group is AWCGrp, the AWC client home page for that user should be customized to be designed home page which contains only one tile – Inbox.

For example,

- Set user *e04* default group to cntc004_grp, the home page will be not customized to the designed home page.



SIEMENS

The top screenshot shows the 'Organization' window in Siemens Teamcenter. It displays a tree view of users and groups on the left, with 'AWCGrp' expanded to show 'cntc004 e03 (e03)', 'cntc004 e04 (e04)*', 'cntc004 p04 (p04)', 'dcproxy (dcproxy)', and 'fsc_user (fsc_user)'. On the right, details for 'cntc004 e04 (e04)' are shown, including Person Name, User ID, OS Name, Password, Latest System Access Time (10-Jun-2016 16:17), Default Group (cntc004_grp*), Default Volume, and Default Local Volume.

The bottom screenshot shows the 'Teamcenter - Home' web interface. The URL is tc10sit:8080/awc/#showGateway. The page includes a search bar, navigation links for 'Select Owner' and 'Select Type', and a 'SIEMENS' logo. The main area features several cards: 'INBOX' (0/3/0, New, Total, Past Due), 'HOME FOLDER' (with a folder icon), 'USER ASSISTANCE' (with a PDF icon), 'PRINTOUTS' (with a printer icon), 'SAVED SEARCHES' (with a magnifying glass icon), 'CHANGES' (with an exclamation mark icon), 'REPORT PROBLEM' (with an exclamation mark icon), and 'CREATE PART' (with a cube icon).

- Change user *eo4* default group to AWCGrp, the home page will be customized to designed home page.

SIEMENS




3.3 CUSTOMIZATION FOR A SINGLE USER


If a user's default group is not AWCGrp, customize the tile collection specific to that user to make the home page to be designed home page which contains only one tile – Inbox.

Configuration steps:

- Login to Rich Client as user *awc_tester*, make sure user *awc_tester*'s default group is not AWCGrp.




- Login to AWC Client as user *awc_tester*, make sure the home page is not customized, then Exit.




SIEMENS

➤ Configure the tile collection specific to a user.

- In Rich Client, search for Tile Collection.




- In the Search Result window, find tile collection specific to *awc_tester* and expand it.




SIEMENS

- Select a tile (for example Printouts), then review relation properties.




- In the Relation Property window, make sure Hidden is set to TRUE, then OK or Apply.



- Repeat the steps above to make sure all the tiles are updated (expect for Inbox if it's there, and some which are marked protected).

SIEMENS

- After the configuration, login to AWC client as *awc_tester* again, and make sure the home page is designed home page.



4 Appendix

4.1 START PROCESS

4.1.1 Start Teamcenter Database Server

n/a

4.1.2 Start Teamcenter Enterprise Tier

- Log on to tc10win as infodba/infodba.
- Open the folder Ent-Tier on the desktop, then run **2 - start pool manager**

4.1.3 Start Teamcenter Web-Tier

- Switch os user to jboss/jboss
- Open the folder Web-Tier on the desktop, then run **1 - start_jboss (as Administrator)** as administrator. When the User Account Control dialog window appears, click Yes.

4.1.4 Start AWC Web Application Server

- Log on to tc10sit as r_awc/r_awc
- Open the folder r_Awc-Tier, then run **0 - start_jboss - Shortcut (as administrator)** as administrator, when the User Account Control dialog box appears, click Yes.

4.1.5 Start Solr Indexing Engine

- Log on to tc10sit as r_awc/r_awc
- Open the folder r_Awc-Tier, then run **1 - start_solr – Shortcut**

4.1.6 Start Indexer

- Log on to tc10sit as r_awc/r_awc
- Open the folder r_Awc-Tier, then run **2 - start_syncindex – Shortcut**
- After that, Run **3 - do_sync_objdata – Shortcut**
- And run **4 - do_sync_structure – Shortcut**



4.2 RELATED URLs

4.2.1 TC Pool Manager

- URL
<http://tc10win:8082>
- User/Password
manager/manager

4.2.2 TC Thin Client

- URL
<http://tc10win:8080/tc/webclient>
- User/Password
Teamcenter user and password

4.2.3 Solr Admin

- URL
<http://tc10sit:8983/solr/admin>
- User/Password
solr_admin/solr_admin


4.2.4 AWC Client

- URL
<http://tc10sit.awc>
- User/Password
TC user and password


4.3 CONFIGURE APACHE AS A REVERSE PROXY SERVER

4.3.1 Install Apache

- Login to tc10win as administrator/administrator
- Get file **httpd-2.2.11-win32-x86-no_ssl.msi** from c:\disk
- Copy the file above to c:\temp in your local host (your laptop machine)
- Open an Explorer Window
- Go to **c:\temp** and double click on **httpd-2.2.11-win32-x86-no_ssl.msi**




- Follow the instruction and install apache in d:\apps\Apache2.



4.3.2 Configure Apache as a Reverse Proxy Server

- Log on to host machine (laptop machine, for example **BJI6P946.net.plm.eds.com**)
- On the laptop, open C:\apps\Apache2.2\conf\httpd.conf



- Update configuration

```
#yulong
LoadModule proxy_module modules/mod_proxy.so 1
#yulong

#LoadModule proxy_ajp_module modules/mod_proxy_ajp.so
#LoadModule proxy_balancer_module modules/mod_proxy_balancer.so
#LoadModule proxy_connect_module modules/mod_proxy_connect.so
#LoadModule proxy_ftp_module modules/mod_proxy_ftp.so

#ulong
LoadModule proxy_http_module modules/mod_proxy_http.so 2
#ylong

#yulong start
ProxyRequests off
<Proxy *>
    Order deny,allow 3
    Allow From all
</Proxy>

ProxyPass /awc/ http://192.168.80.30:8080/awc/
ProxyPassReverse /awc/ http://192.168.80.30:8080/awc/
#ylong end
```

The screenshot shows the Apache configuration file httpd.conf in GVIM. Three specific sections of the configuration are highlighted with red circles and numbered 1, 2, and 3:

1. The first section highlights the `LoadModule proxy_module` line and its associated module path.
2. The second section highlights the `LoadModule proxy_http_module` line and its associated module path.
3. The third section highlights the `<Proxy *>` directive and its nested configuration, specifically the `Order deny,allow` and `Allow From all` directives.

4.3.3 Start Apache

- Log on to host machine (laptop machine, for example **BJI6P946.net.plm.eds.com**)
- Then, from stats bar open Apache and stop Apache

